



Fujian Zhenyuan Hydraulic Equipment C...



2.938 Inch | 74.625 Millimeter x 5 Inch | 127
Millimeter x 3.75 Inch | 95.25 Millimeter SKF FSAF
22517/C3 Pillow Block Bearings

Bearing No. FSAF 22517/C3

FSAF 22517/C3 Bearing 2D drawings and 3D CAD
models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	17.25
EAN	7316576663413
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	22217 CCK/W33
Seals	Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row Heavy Duty
Long Description	4 Bolt Pillow Block; 2-15/16" Bore; 3-3/4" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 9-7/8" Minimum Bolt



Fujian Zhenyuan Hydraulic Equipment C...

	Spacing; 11" Bolt Spacing Maximum; Rel
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	FSAF 22517/C3
Weight / LBS	38
Bolt Spacing Maximum	11 Inch 279.4Millimeter
d	2.938 Inch 74.625 Millimeter
D	5 Inch 127 Millimeter
Nominal Bolt Center to Center	10.4 Inch 264.2 Millimeter
B	3.75 Inch 95.25 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Bolt Spacing Minimum	9.875 Inch 250.83Millimeter
bore diameter:	2.9375 in
bolt center-to-center length:	9.8750 to 11.0000 in
overall length:	13.0000 in
base width:	3.5000 in
overall height:	7.1250 in
finish/coating:	Uncoated
mounting:	Four-Bolt Base
overall width:	5.0000 in
bearing type:	Spherical Roller
lubrication type:	Lubrication Fitting
bore type:	Round
series:	FSAF
housing construction:	Split Pillow Block



Fujian Zhenyuan Hydraulic Equipment C...

standards met:	ISO
base to bore centerline:	3.7500 in
replacement bearing:	22217 EK
housing material:	Cast Iron